

Table O-1b. Average Monthly Habitat Conditions for Rush, Lee Vining, Parker, and Walker Creeks under Wet, Normal, and Dry Hydrologic Year-Type Conditions for Point-of-Reference Alternative (Based on Tennant Method)

Creek	Hydrologic Condition	April	May	June	July	August	September	October	November	December	January	February	March	Mean
Rush	Wet	1	1	3	2	3	1	3	3	3	3	3	3	2.4
	Normal	1	1	1	1	1	1	3	3	3	3	3	3	2
	Dry	1	1	1	1	1	1	3	3	3	3	3	3	2
Lee Vining	Wet	0	0	2	2	4	0	0	0	0	0	0	0	0.7
	Normal	0	0	0	0	0	0	0	0	0	0	0	0	0
	Dry	0	0	0	0	0	0	0	0	0	0	0	0	0
Parker	Wet	0	0	0	0	0	0	0	0	0	0	0	0	0
	Normal	0	0	0	0	0	0	0	0	0	0	0	0	0
	Dry	0	0	0	0	0	0	0	0	0	0	0	0	0
Walker	Wet	0	0	0	0	0	0	0	0	0	0	0	0	0
	Normal	0	0	0	0	0	0	0	0	0	0	0	0	0
	Dry	0	0	0	0	0	0	0	0	0	0	0	0	0

Habitat conditions are as follows:

- 5 = optimum.
- 4.5 = outstanding.
- 4 = excellent.
- 3 = good.
- 2 = fair.
- 1 = poor.
- 0 = severe degradation.